

Declaration of Conformity

Statement on reaction to fire, CE marking, and RoHS / REACH compliance

Product: Aluverbundplatte

We declare that Aluverbundplatte, in the version supplied by us (Aluminium Composite Panel (PE Core)), meets the requirements listed below.

Details

Reaction to fire: With its PE core, Aluverbundplatte has normal flammability and is classified as building material class B-s2,d0 to EN 13501-1 and B2 to DIN 4102-1. A classification as fire-retardant (class A2 or B1) is not achievable with this PE core.

CE marking: The product carries the CE marking in accordance with the relevant harmonised European standards for aluminium composite materials.

RoHS: The product complies with RoHS Directive 2011/65/EU (as amended) and does not contain the substances regulated therein above the restricted concentration limits.

REACH: The product complies with REACH Regulation (EC) No 1907/2006. It does not contain any substances of very high concern (SVHC) from the current candidate list at a concentration above 0.1 % by weight.

Note: It is the customer's own responsibility to verify the suitability of the material for the intended use. This includes in particular:

- checking whether the building material class and fire-protection requirements are sufficient for the intended location (e.g. high-rise facades or specific state/regional regulations)
- the structural design and fixing in accordance with the generally accepted engineering rules
- checking for any additional requirements arising from subsequent processing, coating or bonding carried out by the customer

The quality management system of Liedtke Kunststofftechnik is certified to DIN EN ISO 9001 and forms an important basis for the consistent composition and quality of our semi-finished products.

All information in this document is provided to the best of our knowledge and is based on sources considered reliable at the time of preparation. In the event of changes, for example due to legislation, manufacturing-related adjustments or new scientific findings, new statements will be issued; earlier statements then lose their validity.

This statement is valid for 12 months from the date of printing. It is the sole responsibility of our customers to comply with the laws and regulations required for their intended use. Please request a current confirmation if required.

This document was generated automatically and is valid without a signature.